



We help ideas meet the real world

Compliance Statement

No. 2014-107

Screened Permanent Link, Class E_A

Company

Nexans Cabling Solutions
Alsebergsesteenweg 2, B3
1501 Buizingen
Belgium

Permanent Link Identification (3 connector model)

Horizontal cable:

N100.62xG LANmark-6A F1/UTP Category 6A 500 MHz LSZH (5m and 80m)

Telecommunications Outlet:

N420.66A-LANmark-6A Evo Snap-In Connector Cat. 6A 500 MHz RJ45 Screened for solid copper wire

N420.67A-LANmark-6A Evo Snap-In Connector Cat. 6A 500 MHz RJ45 Screened for stranded copper wire

Consolidation Point Cords:

N11A.U1F030yz-LANmark-6A Ultim Patch Cord Cat 6A Screened LSZH (3m)

Generic cabling standards - Class E_A Permanent Link requirements

- ISO/IEC 11801:2011 (Ed. 2.2)
- EN 50173-1:2011
- EN 50173-2:2007, including amendment A1:2010
- ANSI/TIA-568-C.2:2009

Technical report

DELTA-T207652-02, DANAK-19/13843

EC Cabling product ID


5041

CS valid until

1 December 2014

This product has been tested by DELTA EC Cabling Group and complies with the electrical requirements of the above specified standards and "Terms and conditions for the EC VERIFIED programme for Generic and Coaxial Cabling", DQP231006. The product takes part in a maintenance of certification schedule, which implies that DELTA EC Cabling performs a sample test of the product once a year.

Hørsholm, 27 February 2014


Lars Lindskov Pedersen
Test Manager


Claude Videt
Project Manager

DELTA

Venlighedsvej 4
2970 Hørsholm
Denmark

Tel. +45 72 19 40 00
Fax +45 72 19 40 01
www.madebydelta.com/cable

